According to the Australian Work Health and Safety Regulations

Initial preparation date: 01.19.2017

Revision date: 07.07.2020

KwikWood Stick

SECTION 1: Identification

Product identifier

Product name: KwikWood Stick Product code: 8257AUS

Recommended use of the product and restriction on use

Relevant identified uses: Sealants and adhesives
Uses advised against: Not determined or not applicable.

Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Manufacturer:Supplier:United StatesAustraliaJ-B Weld Company, LLCHPP Lunds

400 CMH Road 1/195 Jackson Rd

Sulphur Springs, TX 75482 Sunnybank Hills, Qld 4109

903-885-7696 1300-306-781

Emergency telephone number:

Australia

InfoTrac

1300-366-961 (24 hours)

SECTION 2: Hazard(s) identification

GHS classification:

Skin irritation, category 2 Eye irritation, category 2A

Label elements

Hazard pictograms:



Signal word: Warning

Hazard statements:

H315 Causes skin irritation

H319 Causes serious eye irritation

Precautionary statements:

P264 Wash hands thoroughly after handling

P280 Wear face protection

P321 Specific treatment (see supplemental first aid instruction on this label)

P302+P352 IF ON SKIN: Wash with plenty of soap andwater

P362 Take off contaminated clothing and wash before reuse

P332+P313 If skin irritation occurs: Get medical advice/attention

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if



Page 1 of 12

According to the Australian Work Health and Safety Regulations

Page 2 of 12

Initial preparation date: 01.19.2017

Revision date: 07.07.2020

KwikWood Stick

present and easy to do. Continue rinsing P337+P313 If eye irritation persists: Get medical advice/attention

Hazards not otherwise classified:

None

SECTION 3: Composition and information on ingredients

Identification	Name	Weight %
CAS number: 14807-96-6	Talc (non asbestiform)	30-60
CAS number: 25068-38-6	Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2-(chloromethyl)oxiran	10-30
CAS number: 65997-17-3	Glass, oxide, chemicals	10-30
CAS number: 90-72-2	2,4,6-tris(dimethylaminomethyl)phenol	1-5
CAS number: 14808-60-7	Silica, crystalline quartz (non respirable)	0.1-1

Additional Information:

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

SECTION 4: First aid measures

Description of first aid measures

General notes:

Show this Safety Data Sheet to the doctor in attendance.

After inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention.

It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

After skin contact:

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

After eye contact:

Rinse eyes with plenty of gently flowing lukewarm water for 15 minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention.

Generated using Total SDS™ (patent-pending), www.GSMSDS.com

According to the Australian Work Health and Safety Regulations

Page 3 of 12

Initial preparation date: 01.19.2017

Revision date: 07.07.2020

KwikWood Stick

After swallowing:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Skin contact may result in redness, pain, burning and inflammation.

Eye contact may result in irritation, redness, pain, inflammation, itching, burning and tearing.

Delayed symptoms and effects:

Effects are dependent on exposure (dose, concentration, contact time).

Immediate medical attention and special treatment

Specific treatment:

Not determined or not applicable.

Notes for the doctor:

Treat symptomatically.

In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

SECTION 5: Fire fighting measures

Extinguishing media

Suitable extinguishing media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

Unsuitable extinguishing media:

Do not use water jet.

Specific hazards during fire-fighting:

Thermal decomposition may produce irritating/toxic fumes/gases.

Special protective equipment for firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling.

Environmental precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

According to the Australian Work Health and Safety Regulations

Page 4 of 12

Initial preparation date: 01.19.2017

Revision date: 07.07.2020

KwikWood Stick

Methods and material for containment and cleaning up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

Small spill: Move containers from spill area. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

Large spill: Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Reference to other sections:

For personal protective equipment see Section 8. For disposal see Section 13.

SECTION 7: Handling and storage precautions

Precautions for safe handling:

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

Conditions for safe storage, including any incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10). Store between the following temperatures: 5 to 30°C (41 to 86°F). Shelf life: 24.

SECTION 8: Exposure controls and personal protection

Only those substances with limit values have been included below.

Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
Australia	Talc (non asbestiform)	14807-96-6	TWA: 2.5 mg/m³ (containing no asbestos fibers)
	Glass, oxide, chemicals	65997-17-3	TWA: 0.5 fibers/ml (of air [Superfine glass fiber])
	Glass, oxide, chemicals	65997-17-3	TWA: 0.5 fibers/ml (of air [Synthetic mineral fibers])
	Glass, oxide, chemicals	65997-17-3	TWA: 0.5 fibers/ml (of air [Glasswool including superfine glass fiber])
	Glass, oxide, chemicals	65997-17-3	TWA: 0.5 fibers/ml (of air [Rockwool])
	Glass, oxide, chemicals	65997-17-3	TWA: 0.5 fibers/ml (of air [Ceramic fibers])
	Silica, crystalline quartz (non respirable)	14808-60-7	8-Hour TWA: 0.05 mg/m³ (respirable dust)

Generated using Total SDS™ (patent-pending), www.GSMSDS.com

According to the Australian Work Health and Safety Regulations

Initial preparation date: 01.19.2017

Revision date: 07.07.2020

KwikWood Stick

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Information on monitoring procedures:

Not determined or not applicable.

Appropriate engineering controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

Personal protection equipment

Eye and face protection:

Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

Skin and body protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

Respiratory protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

General hygienic measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Beige solid
Odor	Pungent
Odor threshold	Not determined or not available.
рН	Not determined or not available.
Melting point/freezing point	Not determined or not available.
Initial boiling point/range	Not determined or not available.
Flash point (closed cup)	Closed cup: Not applicable. [Product does not sustain combustion.]
Evaporation rate	Not determined or not available.
Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	Not determined or not available.
Vapor density	Not determined or not available.
Density	Not determined or not available.
Relative density	0.925
Solubilities	Not determined or not available.

Generated using Total SDS™ (patent-pending), www.GSMSDS.com

Page 5 of 12

According to the Australian Work Health and Safety Regulations

Page 6 of 12

Initial preparation date: 01.19.2017

Revision date: 07.07.2020

KwikWood Stick

Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
Dynamic viscosity	Not determined or not available.
Kinematic viscosity	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

Other information

voc	0.14 lbs/gal (16.8 g/l)
	3 · · · · · · · · · · · · · · · · · · ·

SECTION 10: Stability and reactivity

Reactivity:

Not reactive under recommended handling and storage conditions.

Chemical stability:

Stable under recommended handling and storage conditions.

Possibility of hazardous reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

Conditions to avoid:

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

Incompatible materials:

None known.

Hazardous decomposition products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decomposition products may include the following materials: carbon dioxide, carbon monoxide, nitrogen oxides, sulfur oxides, halogenated compounds, metal oxide/oxides.

SECTION 11: Hazard information

Acute toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

Route	Result
Oral	LD50 N/A: 3014.5 (ATE value) mg/kg
Dermal	LD50 N/A: 2334.3 (ATE value) mg/kg

Substance data:

Name	Route	Result
Talc (non asbestiform)	oral	LD50 Rat: >5000 mg/kg
Phenol, 4,4'-(1- methylethylidene)bis-, polymer with 2-(chloromethyl)oxiran	oral	LD50 Rat: > 2000 mg/kg
2,4,6- tris(dimethylaminomethyl)phen ol	oral	LD50 Rat: 1200 mg/kg

Generated using Total SDS $^{\mathtt{M}}$ (patent-pending), www.GSMSDS.com

According to the Australian Work Health and Safety Regulations

Initial preparation date: 01.19.2017 Page 7 of 12 **Revision date:** 07.07.2020

KwikWood Stick

Skin corrosion/irritation

Assessment:

Causes skin irritation.

Product data: No data available.

Substance data:

Name	Result
Phenol, 4,4'-(1- methylethylidene)bis-, polymer with 2-(chloromethyl)oxiran	Causes skin irritation.
2,4,6- tris(dimethylaminomethyl)phen ol	Causes skin irritation.

Serious eye damage/irritation

Assessment:

Causes serious eye irritation.

Product data: No data available.

Substance data:

Name	Result
Phenol, 4,4'-(1- methylethylidene)bis-, polymer with 2-(chloromethyl)oxiran	Causes serious eye irritation.
2,4,6- tris(dimethylaminomethyl)phen ol	Causes serious eye irritation.

Respiratory or skin sensitization

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. Substance data:

Name	Result
Phenol, 4,4'-(1- methylethylidene)bis-, polymer	May cause an allergic skin reaction.
with 2-(chloromethyl)oxiran	

According to the Australian Work Health and Safety Regulations

Page 8 of 12

Initial preparation date: 01.19.2017

Revision date: 07.07.2020

KwikWood Stick

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

Species	Result
	IARC classifies TiO2 as a 2B carcinogen based in large part on several studies of the effects of the inhalation of TiO2 on animals in which the TiO2 particles were of various sizes. Particles defined as "ultrafine" have been shown to cause cancer in animals exposed to very high concentrations. A number of authorities have reviewed those studies and others involving exposure to ultrafine particles and have concluded that the effects result from overloading the respiratory system of the animals. The effects observed, according to the scientists, are not due to TiO2 but are general responses to high levels of dust in the lungs. In addition, a carcinogenic effect of TiO2 dust in the workers was not observed in several epidemiology studies on more than 20,000 TiO2 industry workers in Europe and the USA, nor were other chronic diseases, including other respiratory diseases, associated with exposure to TiO2 dust. Accordingly, we have concluded that our products should not be classified on the basis of the presence of TiO2 in the products.
	This product contains talc in a polymer matrix. Sanding the cured product may release particles containing talc with the polymer and other components of the matrix into the air. The talc contains less than 1% crystalline silica. Appropriate evaluations of the use of the product should be performed to determine if exposure to talc occurs due to handling and use. If such exposures occur, appropriate precautions must be taken to prevent exposure in excess of the Occupational Exposure Limit.

Substance data:

Name	Species	Result
Talc (non asbestiform)		Talc containing asbestos is carcinogenic to humans.
Glass, oxide, chemicals	Not applicable	May cause cancer via inhalation.

International Agency for Research on Cancer (IARC):

Name	Classification
Talc (non asbestiform)	Group 3
Glass, oxide, chemicals	Group 2B

National Toxicology Program (NTP): None of the ingredients are listed.

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data:No data available.

Substance data: No data available.

Reproductive toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:No data available.

Substance data: No data available.

Specific target organ toxicity (single exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:No data available.

Substance data: No data available.

According to the Australian Work Health and Safety Regulations

Initial preparation date: 01.19.2017

Revision date: 07.07.2020

KwikWood Stick

Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:No data available.

Substance data: No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Information on likely routes of exposure:

Skin and eye.

Symptoms related to the physical, chemical and toxicological characteristics:

Refer to Section 4 of this SDS.

Other information:

No data available.

SECTION 12: Ecological information

Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Result
Phenol, 4,4'-(1- methylethylidene)bis-, polymer	EC50 Scenedesmus capricornutum: 9 mg/L (48 hr)
with 2-(chloromethyl)oxiran	EC50 Daphnia magna: 1 mg/L (48 hr)

Chronic (long-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Persistence and degradability

Product data: No data available.

Substance data:

abotano aata	
Name	Result
Talc (non asbestiform)	Biodegradation is not applicable to inorganic substances.
Phenol, 4,4'-(1- methylethylidene)bis-, polymer with 2-(chloromethyl)oxiran	No biodegradation observed. However, significant hydrolysis occurred eliminating 82 % over 28 days.
2,4,6- tris(dimethylaminomethyl)phen ol	Not readily biodegradable in water (4% degradation after 28 days).

Bioaccumulative potential

Product data: No data available.

Substance data:

Generated using Total SDS $^{\mathtt{M}}$ (patent-pending), www.GSMSDS.com

Page 9 of 12

According to the Australian Work Health and Safety Regulations

Initial preparation date: 01.19.2017

Revision date: 07.07.2020

KwikWood Stick

Name	Result
Talc (non asbestiform)	No potential for bioaccumulation.

Page 10 of 12

Mobility in soil

Product data: No data available.

Substance data:

Name	Result
2,4,6- tris(dimethylaminomethyl)phen ol	Mobile (Koc: 20.98 L/kg).

Results of PBT and vPvB assessment

Product data:

PBT assessment: This product does not contain any substances that are assessed to be a PBT. **vPvB assessment:** This product does not contain any substances that are assessed to be a vPvB.

Substance data:

PBT assessment:

Talc (non asbestiform)	The substance is inorganic, and as such the criteria for PBT are not applicable.
2,4,6- tris(dimethylaminomethyl)phe nol	This substance is not PBT.

vPvB assessment:

· · · · · · · · · · · · · · · · · · ·	The substance is inorganic, and as such the criteria for vPvB are not applicable.
2,4,6- tris(dimethylaminomethyl)phe nol	This substance is not vPvB.

Other adverse effects: No data available.

SECTION 13: Disposal considerations

Disposal methods:

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Contaminated packages:

Not determined or not applicable.

Generated using Total SDS $^{\mathrm{IM}}$ (patent-pending), www.GSMSDS.com

According to the Australian Work Health and Safety Regulations

Page 11 of 12

Initial preparation date: 01.19.2017

Revision date: 07.07.2020

KwikWood Stick

SECTION 14: Transport information

Australian Dangerous Goods (ADG)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

International Maritime Dangerous Goods (IMDG)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	
Bulk Name	None
Ship type	None
Pollution category	None

SECTION 15: Regulatory information

Australia regulations

Australian Inventory of Chemical Substances (AICS): All ingredients are listed or exempt. Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): None of the ingredients are listed.

Generated using Total SDS $^{\mathtt{M}}$ (patent-pending), www.GSMSDS.com

According to the Australian Work Health and Safety Regulations

Initial preparation date: 01.19.2017 Page 12 of 12

Revision date: 07.07.2020

KwikWood Stick

SECTION 16: Other information

Abbreviations and Acronyms: None

Disclaimer:

This SDS was authored in accordance with the Australian Work Health and Safety Regulations and supplemented by the Australian Code of Practice on the Preparation of Safety Data Sheets for Hazardous Chemicals. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

Initial preparation date: 01.19.2017

Revision date: 07.07.2020

Revision Notes:

Revision Date	Notes
2020-07-07	Classification and composition change.

Additional information:

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Version 2

End of Safety Data Sheet